

VitaLink Grow Schedules

NUTRIENT RANGE

* VitaLink Fulvic is also recommended to be used as a foliar application. Dilute 10 ml/L and apply once a week.

** When using VitaLink Coir, please use VitaLink Buddy at 5ml/10L.

Note – When growing conditions are hot (<27oC) and dry (>40%RH), maintain the conductivity at the lower end of the recommendation above.



| | PlantStart | Easy Grow | Easy Bloom | Max Grow | MaxBloom | Coir Grow | Coir Bloom | Earth Grow | Earth Bloom |
|--|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Propagation Stage 1 Pre-soaking plugs | 3-4 ml/L CF 6-8 | - | - | - | - | - | - | - | - |
| Propagation Stage 2 Rooted cuttings/seedlings | 6-8 ml/L CF 12-16 | - | - | - | - | - | - | - | - |
| Vegetative Stage 1 - Duration 1 to 2 weeks Establishment period | - | 2-4 ml/L CF 5-10 | - | 1-2 ml/L CF 5-10 | - | 3-5 ml/L CF 7-12 | - | 2-3 ml/L CF 6-10 | - |
| Vegetative Stage 2 - Duration 1 to 2 weeks Aggressive growth | - | 6-8 ml/L CF 14-23 | - | 3-4 ml/L CF 14-23 | - | 6-8 ml/L CF 13-20 | - | 3-4 ml/L CF 10-13 | - |
| Reproductive Stage 1 - Duration 1 to 2 weeks First signs of flowers | - | - | 6-8 ml/L CF 14-23 | - | 3-4 ml/L CF 14-23 | - | 6-8 ml/L CF 13-20 | - | 3-4 ml/L CF 12-14 |
| Reproductive Stage 2 - Duration 2 weeks Develop small flowers/fruit | - | - | 6-8 ml/L CF 14-23 | - | 3-4 ml/L CF 14-23 | - | 6-8 ml/L CF 13-20 | - | 3-4 ml/L CF 12-14 |
| Reproductive Stage 3 - Duration 2-3 weeks Expansion in size of flowers/fruit | - | - | 4-6 ml/L CF 10-16 | - | 2-3 ml/L CF 10-16 | - | 4-6 ml/L CF 9-16 | - | 2-3 ml/L CF-6-8 |
| Reproductive stage 4 – Duration 1-2 weeks Flowers/Fruit ripen | Flush | Flush | Flush | Flush | Flush | Flush | Flush | Flush | Flush |